

# DRY AGER® DX 500® PREMIUM S

## FOR UP TO 20 KG LOAD

**DRY AGER®** – The leading brand for professional, plug-in Dry Aging cabinets for the production and storage of **Dry Aged Beef, Dry Aged Pork, ham, salami, fish, cheese and much more.** The DX500 Premium S (220–240 V, 2 A) is suitable for use in both the commercial and private sectors. Thanks to innovative systems like SmartAging® technology, perfect aging results for a wide variety of foods can be achieved at the push of a button. The temperature can be electronically regulated in the range from 0 to +30 °C, as can the humidity, in the range from 40 to 90 %, thanks to the built-in standard HumiControl® system. The device does not need a water connection or a water tank, which are just two of the many unique selling points. The **DX AirReg® system** also ensures an optimum air flow.

The built-in **activated carbon filter**, the unique **UVC sterilisation box** and **antibacterial inner container** mean that bacteria and germs have no chance. Professional Dry Aging at the highest level, even with large fluctuations in ambient temperatures. The outer housing is powder-coated in black and the door is made of rust-free stainless steel. The polished inner rear wall made of black coloured stainless steel also underlines the premium character of the device. Contemporary, modern design on the outside – high-precision, sophisticated technology on the inside. The DRY AGER® Dry Aging cabinet can be set up free-standing as a single device or double device (side by side) or integrated in a wall. Commercial and private customers receive a 2-year full guarantee from the date of purchase. Quality made in Germany!



**Nº 1** | WORLDWIDE



### Technology & equipment

#### Aging programme

- SmartAging® technology – smart programme control enables Dry Aging with the help of product-specific aging programmes.
- Optimum parameter settings are carried out automatically by the SmartAging® processor and guarantee ideal results at the push of a button.

#### Temperature & humidity

- HumiControl® – constant humidity, electronically adjustable from 40 to 90 % (no water connection or tank required).
- Electronically controlled temperature from 0 to +30 °C.
- Professional Dry Aging with minimum weight loss.
- Automatic defrosting and automatic condensate evaporation.

#### Hygiene

- UVC sterilisation system, DX AirReg® system and activated carbon filter – optimum air flow and air quality without UV exposure of the products.
- Antibacterial inner container – the shape of the side shelf supports and rounded corners make cleaning easier.

#### Visual design

- all black powder-coated OR black powder-coated housing & stainless steel door OR housing and door stainless-steel.
- Black steel rear panel, brushed black stainless steel.
- DX-LED side lighting – optimum illumination of the presented products.
- Attractive aesthetics with sales promotion potential.

#### Modularity

- Built-in or free-standing – enables the integration of single or multiple units next to each other.
- Door hinge possible on both sides.

#### Accessories supplied

- 1 x slide-in shelf (DX0026) & floor shelf (DX0028), max. load capacity 20 kg.

#### Guarantee

- 2 year full guarantee for private and commercial customers.
- 3 year full guarantee available on request.



# DRY AGER® DX500® PREMIUM S

## for up to 20 kg load

### Technical specifications

<b>Gross net content</b>	155 / 134 l	<b>Inner container</b>	Antibacterial polystyrene
<b>Maximum load</b>	20 kg	<b>Rear wall inside</b>	brushed black stainless steel
<b>Inner dimensions</b>	71.2 x 49.0 x 43.7 cm (HxWxD)	<b>Visual &amp; acoustic alarm</b>	Yes
<b>External dimensions</b>	90.5 x 60.0 x 61.0 cm (HxWxD)	<b>Installation of one or more devices in the wall or as a free-standing device possible</b>	Yes
<b>Temperature range</b>	0 °C to +30 °C, electronically adjustable in increments of 0.1 °C	<b>Refrigerant</b>	R600a
<b>HumiControl®</b>	40 % to 90 %	<b>Unladen weight</b>	50 kg
<b>Mains connection</b>	220–240V / 2 A / 50Hz	<b>Shipping weight (on pallet)</b>	62 kg
<b>Power consumption</b>	~1.0kWh / 24h	<b>Shipping dimensions (on pallet)</b>	105.0 x 80.0 x 120.0 cm (HxWxD)
<b>UVC sterilisation and activated carbon filter</b>	Yes		
<b>SmartAging® control</b>	Yes		
<b>Water connection or tank necessary</b>	No		
<b>Automatic defrost</b>	Yes		
<b>Automatic condensate evaporation</b>	Yes		

### Application: filled with meat



Beef on slide-in shelves



Beef hanging



Half a saddle of pork and beef hanging



Beef on slide-in shelves and pork hanging underneath





# DRY AGER® DX500® PREMIUM S

for up to 20 kg load

Further applications: one DRY AGER® Dry Aging cabinet – many possible uses



Dry Aging of meat



Production of sausage and salami



Production of ham



Dry Aging of poultry



Dry Aging of fish and seafood



Production and storage of cheese | Tempering of champagne and wine  
**NEW:** Special wooden slide-in shelves are available for this application.



# DRY AGER® DX500® PREMIUM S

## for up to 20 kg load

### Technical specifications in detail

#### DX 500 Premium S - Standard

Housing	black, powder-coated
Insulating glass door	Stainless steel, metallised glass (UV protection)
Device article number	DX0500PS

Set with Base cabinet

Dimensions Base cabinet	90,0 x 61,0 x 61,0 cm (HxWxD)
Height incl. DRY AGER®	180,0 cm
Device article number	DX0500P-U



#### DX 500 Premium S - Stainless steel

Housing	Stainless steel
Insulating glass door	Stainless steel, metallised glass (UV protection)
Device article number	DX0501PS-1

Set with Base cabinet

Dimensions Base cabinet	90,0 x 61,0 x 61,0 cm (HxWxD)
Height incl. DRY AGER®	180,0 cm
Device article number	DX0501PS-U



#### DX 500 Premium S - Black

Housing	black*, powder-coated
Insulating glass door	black*, powder-coated, metallised glass (UV protection)
Device article number	DX0500BPS

Set with Base cabinet

Dimensions Base cabinet	90,0 x 61,0 x 61,0 cm (HxWxD)
Height incl. DRY AGER®	180,0 cm
Device article number	DX0500BP-U



\*Other RAL colors available on request.





# DRY AGER® DX500® PREMIUM S

for up to 20 kg load

## DX 500 Premium S with Salt Wall System - Standard

Housing	black, powder-coated
Insulating glass door	Stainless steel, metallised glass (UV protection)
Device article number	DX0550PS

Set with Base cabinet

Dimensions Base cabinet	90,0 x 61,0 x 61,0 cm (HxWxD)
Height incl. DRY AGER®	180,0 cm
Device article number	DX0550PS-U



## DX 500 Premium S with Salt Wall System - Stainless Steel

Housing	Stainless steel
Insulating glass door	Stainless steel, metallised glass (UV protection)
Device article number	DX0551PS-1

Set with Base cabinet

Dimensions Base cabinet	90,0 x 61,0 x 61,0 cm (HxWxD)
Height incl. DRY AGER®	180,0 cm
Device article number	DX0551PS-U



## DX 500 Premium S with Salt Wall System - Black

Housing	black*, powder-coated
Insulating glass door	black*, powder-coated, metallised glass (UV protection)
Device article number	DX0550BPS

Set with Base cabinet

Dimensions Base cabinet	90,0 x 61,0 x 61,0 cm (HxWxD)
Height incl. DRY AGER®	180,0 cm
Device article number	DX0550BPS-U



\*Other RAL colors available on request.




# DRY AGER® DX500® PREMIUM S


## for up to 20 kg load

### Drawings

Front view




Top view




### Integration drawings


Installation of one device



Installation of several devices (on top)



Installation of several devices (side by side)



- ① Ventilation shaft is mandatory. Minimum size: **200 cm<sup>2</sup>**. Also possible on the side or on the back wall.
- ② Overall dimensions (width) with the door open including handle: **615 mm**
- ③ Overall dimensions (depth) body + closed door (protruding): **610 mm**
- ④ Panelling of the intermediate gap with DRY AGER® stainless steel cover possible (DX0031).



# DRY AGER® DX500® PREMIUM S

## for up to 20 kg load

### Optional accessories for DX 500 Premium S

#### Device accessories

- DX0013 Hangers**  
made of stainless steel, enables larger parts to be hung up using S-hooks, with a load capacity of up to 20 kg.
- DX0026 Slide-in shelf**  
allows food to be aged and stored horizontally, with a load capacity of up to 20 kg.
- DX0023 Slide-in shelf for sausages and ham**  
for hanging and aging sausages and ham, with a load capacity of up to 20 kg. 
- DX0029 Slide-in shelf for cheese & wine set**  
made of wood, 2 pieces in a set, perfect for cheese and wine.
- DX0058 Saltair salt block set**  
real salt, supports the process in the device and ensures an appealing look, 2 blocks in the set.
- DX0075 Saltair salt tray**  
made of stainless steel, perfect fit for Saltair salt block set (DX0058).
- DX0078 Wall bracket set**  
for easy hanging of the device on a load-bearing wall.
- DX0031 Stainless steel panel**  
for covering the gap between two DX500 Premium S units arranged next to each other.
- DX0087 Base cabinet**  
for ideal placement of the DX500 Premium S at eye level. With drawer and shelf.   
Compatible with all DX500 model variants.



Further accessories, knives, saws, machines for meat processing and much more can be found online:  
[www.dry-ager.com](http://www.dry-ager.com)

#### Accessories

- Z44044 S-hook**  
made of stainless steel, size 160 x 8 mm, loadable up to 100 kg.
- Z44055 Swivel hook**  
made of stainless steel, size 180 x mm, loadable up to 100 kg.
- DX0040 Labels for writing on meat**  
20 pieces, including skewers for attachment, food-safe & reusable.
- Z33145 DRY AGER® Special cleaner**  
Cleaning solution in 500 ml spray bottle.

#### Servicing and maintenance

- DX0101 UVC replacement bulb (UVC2)**  
for the annual maintenance of the UVC sterilisation box.
- DX0110 Activated carbon filter**  
for the annual replacement.

### Awards



Information Print Product:  
Item no.: WD0074



4 251309 913270

Landig + Lava GmbH & Co. KG – We will be happy to provide you with further information on request.  
Subject to technical modifications and printing errors. Last updated: 01/2024



DRY AGER MANUFACTURER – LANDIG + LAVA GMBH & CO. KG – Mackstrasse 90 – 88348 Bad Saulgau  
Phone: +49 7581 90 43 0 – Email: [info@dry-ager.com](mailto:info@dry-ager.com) – Website: [www.dry-ager.com](http://www.dry-ager.com)

TD\_DX0500PS\_263174\_22\_2112\_1 7/7  
© 2021 DRY AGER all rights reserved.